

LONG
ISLAND GROUP
SINCLAIR
TIMEX

L.I.S.T.ING

April
1985

Issue Price \$1.50

The Computer Magazine for Power Users

MEETING NOTES - MARCH 10, 1985

The March meeting of LIST was held at Harvey R's in Valley Stream. Outgoing President Nazir Pashtoon called the meeting to order at 2:30PM.

The Sec'y Treas. provided membership, renewal and funds status reports.

Elections were held for the Presidents position and Jeff Street was elected, unanimously. General discussion centered around the newsletter. The overwhelming majority of the membership expressed their support for the content and editorial balance of LISTing. The consensus was however, that larger, darker print was needed, particularly for program listings. The Sec'y Treas. was asked to request all members, via LISTing, to do the following in preparing material for the newsletter.

- 1) Do not use Timex paper in the 2040 printer.
- 2) Radio Shack's paper (black) is recommended.
- 3) Use Dick Scovilles "BOLD" program, reprinted, and annotated, elsewhere in this issue.
- 4) Use another printer, but try to use 32 column format. This makes visual verification somewhat easier.

The newsletter editor was requested to provide instructions for using Dick's program. This has been done. The question of tape loading was reopened. There is clearly a lack of understanding of this procedure and/or a lack of suitable equipment among the membership. The editorial staff will research the various newsletters and magazines for data on Loading and Saving techniques. Members who have solved LOADING problems are urgently requested to send in descriptions of the methods they use to help LOAD balky tapes. A future issue of the newsletter will be dedicated to this subject.

NEXT MEETINGS

Next LIST meeting will be in Centerport, N.Y. at 2:00PM on April 14th, 1985. See the "members only" page for directions.

The May meeting will be on May 5th, probably in Seaford.

Membership size is growing rapidly. If you know of an available church, school, library, etc., at which we can hold our Sunday meetings please bring your information to the April meeting.

The business portion of the meeting adjourned at 4:PM.

DEMOES

Nazir P. Demoed his ROM based emulator in a smart looking black box. Your editor received an earlier version (no black box) two months ago and has found compatibility to be at least 99% (E.g., Checkered Flag, Inferno, Survival, etc. all run).

Free copies of TS Horizons, graciously supplied by Rich Duncan, were distributed to those in attendance. John B. demoed some of the software he has been developing; very impressive, commercial quality, stuff.

After the meeting and demoes, Zebra Systems provided two TS book titles to the membership at \$5.00 each. LIST Associates sold ROM's for \$15, 16K RAM packs for \$5.00 (all gone) and assorted Timex software for \$1.00 each (Picked up at meeting).

NEXT MEETING

Paul D. and Nazir will demonstrate Spectrum networking and perhaps the RS-232 port on Interface I. We hope also to get P.W.C.'s-QL- and Bob G.'s RGB monitor together for a QL demo. There's a good chance that someone from Zebra will bring a Zebra Talker, as well.

NOTE: QL-RGB monitor specs - Sinclair Research has sent Paul C. the necessary info. We'll publish it in May's LISTing.

Uncle Clive Wants You!

LISTing needs articles, particularly those of a straight forward, BASIC nature. Our newer members, in particular, need to know what you may now consider "old hat". Please share your discoveries and knowledge with them.

LIST GROUP
P.O. BOX 438
CENTERPORT, N.Y. 11721-0438

LIST



April
1985

INDEX TO ISSUE APRIL 1985

ITEM	PAGE
MEETING NOTES	1
INDEX/CLASSIFIEDS/POLICY	2
<u>SYSTEM REVIEW:</u>	
ZEBRA GRAPHICS TABLET P.Donnelly	3,4
GRAPHICS PAGE	5
DOMSDOS - UNIVERSAL DOS	6
"BOLD" PRINT D. Scoville P.Donnelly	7
COMMUNICATIONS TBBS PROTOCOLS	8
BUYERS GUIDES	9
Microdrive Compatibles	10
Vendors/Catalogs	11
D.Lipinskis List	12,13,14
LETTERS	15
GETTING ON THE BUSS T.R. Russell	
TECHNICAL REPORT:	
Cooling your TS/ZX - R. Gilder	16,17
ROM Atlas - N. Pashtoon	18
MEMBERS ONLY	19
MAILER	20
LIBRARY SAMPLER	21,22
(May or may not be Published)	

LIBRARY TAPE NOTES

We wish to apologize to all of our members for the poor quality of Tape #2. While changes in staffing of the library have caused some confusion, our big problem appears to have been our Sears dubbing deck. This has been sent out for repairs. The 4 "defective" programs on tape #2 will reappear on #3.

Our thanks to H.L.W. Pulliam for pointing out the problem.

Also, please note that some copies did not have the write protect tab removed. If you have the tape in your possession now, we ask that you break it out, right now, to prevent accidental erasure of the program. We have received partially erased "master" tapes back in the past.

By the same token, some of the member supplied tapes have been erased or have unusable noises on them. We will be more careful (and unfortunately slower) in producing tape #3. You are requested to do likewise. Please double check that your programs LOAD before sending out the tape.

To help in this endeavor, tape #3 will contain an "alignment" section. If you have a spare type player, we strongly recommend that you adjust its head alignment to the LIST standard.

LISTing Policy:

Annual Dues.....\$15.00 Issue Price \$1.50 (includes P&P)

One "Sample" copy sent upon receipt of large SASE.

Copies provided on exchange basis with other bona fide user groups.

L.I.S.T.ing is published monthly by LIST (Long Island Sinclair Timex) Group a not-for-profit users group.

Your reviews, programs, comments, hardware projects, etc., are eagerly solicited for publication in LISTing.

©Copyright 1984, LIST Group. No portion of this publication may be reproduced, in any form, without the express written consent of LIST or the original author.

Please note our new address - P.O. BOX 438, Centerport, N.Y. 11721-0438 Mail sent to the old address must be forwarded there and will take longer to reach us.

NOTE: PARTIAL YEAR MEMBERSHIPS AVAILABLE

Normal membership year is Feb. through Jan. at cost of \$15.00.(US) By keeping as many members as possible on that basis, we keep our costs and chances of error down.

If you wish to begin subscribing later in the year, please sign up for the end of this year and all of next.

We will accept partial years or different subscription runs, on a limited basis (particularly from members outside the U.S.) But, please be aware that, addition to possible rate increases, your "account" must be handled "by hand" and errors may occur. International (EX Canada) subscribers will receive as many issues as we can afford to mail.

POLICY ON CONTRIBUTED MATERIAL:

We are always looking for interesting articles, programs, reviews etc. to keep our members informed and entertained. Articles submitted for publication are printed on the following basis:

1. You the writer, maintain the full copyright and can resell, lend or give away your work, as you wish.
2. We are granted the right to publish your material, in the original issue in which it appears. Reprints (e.g., to supply orders for back issues) will include your material as a part of its original issue. We are not allowed to sell your material in any other way, without your express written consent;

We can't (for now) pay you for your material, but you will receive a copy of the issue in which it is published, even if you're not a member. You may get more than one issue and you will definitely earn the respect and appreciation by your grateful peers.

Articles represent the opinion of the author and not necessarily the LIST Group. LIST disclaims any responsibility for anything you may do to your computer as a result of reading any article in LISTing.

Classified Ads

WANTED: MEMOTECH RS-232 INTERFACE FOR T/S 1500.
A. NIEUWENHOFF 16 HERITAGE RD. SUTTON, MA. 01527

DK'Tronics Light Pen (for Spectrum - works on 2068 buss)
\$35.00 (includes P & P) LIST Associates, 10 Idle Day Drive,
Centerport, N.Y. 11721.

If you have a program or article about something you've tried, please send it in. Our group interests are so varied that I can almost certainly guarantee that someone else can use your expertise to solve his problem.

HARDWARE REVIEW: ZEBRA GRAPHICS TABLET

FOR: TS 2068
FROM: ZEBRA SYSTEMS, INC.
 78-06 JAMAICA AVENUE
 WOODHAVEN, N.Y. 11421
PRICE: \$89 - INCLUDES ZEBRA PAINTER SOFTWARE ON CASSETTE

The Zebra "Graphics Tablet" is not so much a single hardware item, as it is a system which allows the user to create graphic screens on the TS 2068, quickly and easily. The system consists of three components; a KOALA technology tablet, the Zebra dual port A/D interface, and Zebra Painter software. We'll discuss each in turn, and then look at the use of the whole system.

The Koala "pad" has been reviewed in detail in a recent issue of Byte⁺ magazine, but will be briefly described here. The pad consists of a flat black plastic drawing surface about 4" wide by 5" high mounted in a beige frame which slopes down toward the user. The pad's rear is about 1 1/2" higher than the front and sports an umbilical which terminates, at the computer end, with a 6 pin DIN type plug. The pad's entire surface is, in essence, a variable resistor. by pressing down on a particular spot with either finger or the stylus provided, the user causes a discrete voltage level to be sensed by the A/D interface. Any single spot on the pad has a unique X and Y coordinate resistance. Resolution is said to be 256 X 256. The pad has two large "command" buttons just above the drawing area. These are used to select menu items, indicate the starting points of lines and tell the system you are finished with a command or function.

Zebra's A/D (analog to digital) interface is a small (2 1/2" X 3") single sided open board. It sports two six pin DIN jacks, one for each of its two analog ports (A&B). The board plugs onto the expansion buss connector at the rear of your 2068 and provides a male edge connector for feed through to other peripherals (e.g., the printer). In addition to the edge connectors and DIN jacks, the board has 14 available (DIP) holes which can be used to access the two ports, a fairly common A to D convertor chip, and a chip for very simple decoding and the requisite resistors for biasing and set points.

Decoding involves the use of A4,5,6,7, \overline{RD} & \overline{IOREQ} (any port below 'F') while the ADC itself uses A1,2 & 3, and A0 feeds the ADC's clock input.* There are, in effect then, eight channels for analog data on Zebra's board. For the 'B' port, the one used with the graphics tablet, these are:

Similarly:	
0,1 = X axis (0 to 255)	8,9 = X axis (A Port)
2,3 = Y axis (")	10,11 = Y axis (")
4,5 = Right Button	12,13 = Right (A)
6,7 = Left Button	14,15 = Left (A)

When not using the Koala pad, the user can treat the "button" ports as conventional analog ports. Port A uses the odd number ports. Outputs for the ADC go directly to the 2068 data buss. The two ports allow you to use analog joysticks (try Radio Shack), temperature sensors (thermistors) and some types of photocells, as well.

+ MARCH 1985

* This last is a very clever design trick, which helps reduce parts count. Without giving away the "secret", let's just say that it would be a valuable mental exercise to visuallize the state of A0 as your Z80 executed its instructions. Can you also see potential problems with this method?

The final component of the Zebra System is Jeff S.'s Zebra painter software. While not as comprehensive as some of the Spectrum graphics software, it should still provide a more than adequate screen drawing environment, particularly for the novice. Extensive use of on-screen menus is made. The user has only to point the stylus at the section of the Koala pad which corresponds to the screen item desired, and touch the control button to have the job done. The Software features Ink and Paper, Line and Circle commands, the ability to exchange the active screen with one in memory, a Lefty feature, pixel coordinate axes, orthogonal lines mode, and others.

Pictures can be saved on tape and/or TIMEX printer. Zebra painter is easy to duplicate, and instructions for so doing are provided. Finally, you are permitted to add text to the drawing and change the brush to a pen, if desired.

Overall, I found the system easy to set up and use for graphics development. The small (3" X 4") manual supplied, while not perfectly printed, should be adequate for most users. The board was neatly constructed and cleverly designed and laid out.


On the negative side, I'd like to have seen the unit in a case and the numbers not scraped off the chips (it takes me 10-15 minutes longer to figure out what they are, that way). While I applaud Jeff Streets Zebra painter software, particularly in light of the time constraints he worked under, I would like to have seen a few more features included. Specifically, "Painter" could use: Fill, Box and Triangle commands. The documentation, while adequate for the tablet, should have included information on other uses of the A/D interface; e.g., voltage levels, sources of DIN plugs, addresses, the use of the BASIC IN statement, etc.

At \$89 the Zebra Graphics Tablet System is a good value. The software, tablet and interface (which has many other uses) can serve as a valuable addition to your TS 2068, and can save hours of time for those of us interested in developing our computer graphic skills. I give the system an 8.5 out of 10. Technical documentation and more advanced software would each have earned the system .5 more points.

Two final points; one good; one bad. First, the bad news; due to a number of factors (Software and sampling rates, are two) the graphics system suffers from what Jeff S. calls "spray". This consists of extraneous dots which appear in the vicinity of your stylus point when you either move too fast, or relax your pressure on the pad for an instant. These must be erased to make a good drawing. This is easy to do, but still an inconvenience. On the plus side, the graphics interface is theoretically ZX81, TS1000 and Spectrum buss compatible. I've tried it on my "Spectrus" (a 2068 with ROM and a 2068 with Spectrum buss and emulator), using the IN command and it works.





@1985 P. Donnelly

ZEBRA PAINTER COMMAND SUMMARY	
COLOR SELECTION COMMANDS	
BORDER/PAPER/INK	12
DRAWING MODE SELECTION	
DRAW/ERASE	Select left button function. 13
PEN/BRUSH	Select drawing implement. 13
PRECISION DRAWING COMMANDS	
LINE	Draws line between 2 points. 14
CIRC	Draws circle; Defines center & edge. 15
DIRECTIONAL DRAWING MODES	
V&B	Draw any lines & curves. 16
VERT	Vertical Lines Only. 17
HORI	Horizontal Lines Only. 18
KEYBOARD COMMANDS	
COPY	Copy Screen to Printer. 19
CLS	Clear Screen. 20
WRITE	Write Text on Screen. 20
LEFTY	Left-handed Button Swap. 21
SCREEN STORAGE COMMANDS	
STORE	Copy Active to Inactive. 22
RESTR	Copy Inactive to Active. 22
EXCHG	Exchange Inactive & Active. 23
TAPE STORAGE COMMANDS	
SAVE	Save Screen to Tape. 24
LOAD	Load Screen from Tape. 24
Copyright (c) 1984 Zebra Systems, Inc.	





Graphics

List Group



Manually Enhanced



DOMSDOS

One of our new members, Don Ross (formerly a CEO for a large Computer Corporation and now engaged as Manager of Previously Owned Vehicle Dispositions, for Montauk Studebaker) has provided us with this BASIC listing. He obtained this from one of the British Magazines. DOMSDOS is a complete DOS, written in BASIC, which, it is claimed, will work on any U.K. Domestic (thus DOMS) microcomputer. I believe DOM's transcription contains an error or two, as I got an error message (variable not found) the first time I tried to run it. If anyone can adapt this to run on the TS 2068, please let us know.

Quick-Reference Keyboarding Guide

ABS (G)	LOAD (J)
AND (shifted-2)	LPRINT (shifted-S)
ARCCOS (S)	
ARCSIN (A)	NEW (A)
ARCTAN (D)	NEXT (N)
AT (C)	NOT (N)
BREAK (SPACE)	OR (shifted-W)
CHR# (U)	PAUSE (M)
CLEAR (X)	PEEK (O)
CLS (V)	PI (M)
CODE (I)	PLOT (Q)
CONT (C)	POKE (O)
COPY (Z)	PRINT (P)
COS (W)	
DELETE (shifted-0)	RAND (T)
DIM (D)	REM (E)
	RETURN (Y)
EDIT (shifted-1)	RND (T)
EXP (X)	RUN (R)
FAST (shifted-F)	SAVE (S)
FOR (F)	SCROLL (B)
FUNCTION (shifted-ENTER)	SGN (F)
	SIN (Q)
GOSUB (H)	SLOW (shifted-D)
GOTO (G)	SQR (H)
GRAPHICS (shifted-9)	STEP (shifted-E)
	STOP (shifted-A)
IF (U)	STR# (Y)
INKEY# (B)	
INPUT (I)	TAB (P)
INT (R)	TAN (E)
	THEN (shifted-3)
LEN (K)	TO (shifted-4)
LET (L)	
LIST (K)	UNPLOT (W)
LLIST (shifted-G)	USR (L)
LN (Z)	VAL (J)

From McGraw-Hill

April
1985

LIST GROUP

```

5 REM "DD"
6 REM DOMSDOS
10 RESTORE
20 LET W=1: LET N=0: LET I=0
30 DIM E$(100)
40 READ E$(1): IF E$(1) < "END"
THEN LET I=I+1: GO TO 40
50 REM -HOME-: PRINT USING 3-T
0 MOVE CURSOR TO SCR. TOP
60 PRINT "DOMSDOS"
70 PRINT "VERSION 13"
80 PRINT "(C) COPYRIGHT STATE
HATCHERIES, 1984"
90 PRINT: PRINT
100 REM COP ROUTINES
110 INPUT A: INPUT A: A$=" "
111 REM INPUT A: A$=" "
120 IF AND=(1) < M2 THEN PRINT A$
"2": PRINT: GO TO 110
121 REM ==
130 REM ERGOT ROUTINES
140 IF S=Z THEN LET S=INT (RND+
(W)*N+W)
141 REM +++
150 PRINT: PRINT E$(S): PRINT
151 REM E$(S) >>>
160 IF S>0 THEN LET S=S+W: IF R
ND+(W)*2<W THEN LET S=Z
161 REM RND +++
170 GO TO 100
180 DATA CANT CONTINUE ERROR
181 REM CANT
190 DATA FRANKLY CANT CONTINUE
ERROR
191 REM CANT
200 DATA CANT TAKE ANY MORE ERR
OR
201 REM CANT
210 DATA BOOS ERR ON P
220 DATA DISC DRIVE INOPERABLE
230 DATA MAIN BUS FAILURE ERROR
240 DATA ARE YOU SURE
241 REM SURE?????
250 DATA I MEAN ARE YOU REALLY
SURE
251 REM ????
260 DATA COMMAND NOT RECOGNISED
270 DATA REBOOT AND RETRY
280 DATA DIVISION BY ZERO ERROR
290 DATA DIVISION BY ZERO ERROR
AGAIN
300 DATA PLEASE RECONSIDER
301 REM sider...
310 DATA PLEASE PLEASE RECONSID
ER
320 DATA PRESSING WRONG KEYS ER
ROR
330 DATA FIRE ON MAIN BOARD ERR
OR
340 DATA YOU CAN'T BE SERIOUS
ERROR
341 REM CAN'T--TOUS!
350 DATA TRY KEYING HELP
351 REM HELP
360 DATA KEY SYSGEN TO RECOVER
SYSGEN
370 DATA ILLEGAL QUANTITY-CALL
POLICE
380 DATA OUT OF MEMORY
390 DATA OUT OF SIGHT
400 DATA OUT OF MIND
410 DATA TOO MUCH
411 REM MUCH !
420 DATA TOO COMPLEX
430 DATA MUCH TOO COMPLEX
440 DATA NEXT WITHOUT FOR
450 DATA FOR WITHOUT NEXT
460 DATA FOR WITHOUT FOR
470 DATA NEXT WITHOUT NEXT
480 DATA GOTO UNDEFINED
490 DATA GO TO UNLDO NOT PASS
GO DO NOT COLLECT 200
491 REM $200
500 DATA BAD SUBSCRIPT
510 DATA NAUGHTY SUBSCRIPT
520 DATA EVIL SUBSCRIPT
530 DATA SYNTAX ERROR
540 DATA SYNTAX CURRENTLY 15
15%
541 REM
550 DATA FILE LOCKED
560 DATA FILE MISSING
570 DATA FILE MISSING BELIEVED
KILLED IN ACTION
580 DATA LANGUAGE NOT AVAILABLE
590 DATA LANGUAGE NOT PRINTABLE
600 DATA UNSPEAKABLE ERROR
610 DATA PROGRAM TOO LARGE
620 DATA PROGRAM TOO SMALL
630 DATA RANGE ERROR-RAN HIGHER
640 DATA WRITE PROTECTED
650 DATA REALLY WRITE PROTECTED
660 DATA READ PROTECTED
670 DATA READ AND WRITE PROTECT
ED
680 DATA NOT WORTH READING ATAL
L FRANKLY
690 DATA END

```


More on Darkening the Printer Dick Scoville

My original plan was to make the following program an example in this month's machine code tutorial and explain it line by line, but it requires some familiarity with so many things that it's best just to give it as is. The idea is very simple: write a new character set. Don't panic, the program itself will do all the work for you in the twinkling of an eye. Here is the program, in Z80 mnemonics and in decimal and in hex--all 29 bytes of it:

```

57786 LD DE,00DD      56576
57789 PUSH DE
57790 LD BC,0003      768
57793 LD HL,(365C)    CHARS
57796 INC H
57797 LD A,(HL)
57798 AND A
57799 RRA
57800 OR (HL)
57801 LD (DE),A
57802 INC HL
57803 INC DE
57804 DEC C
57805 JR NZ,F6        57797
57807 DJNZ F4        57797
57809 POP HL
57810 DEC H
57811 LD (365C),HL    CHARS
57814 RET
57815 NOP
57816 NOP
57817 NOP

```

```

17  0   221 213 1   0   3   42
54  92  36 126 167 31  182 18
35  19  13 32  246 16  244 225
37  34  54  92  201

```

```

11  00  DD  D5  01  00  03  2A
36  5C  24  7E  A7  1F  B6  12
23  13  0D  20  F6  10  F4  E1
25  22  36  5C  C9

```

Do the following:

- 1) CLEAR 56575
- 2) LET sdk=57786
- 3) Enter the 29 bytes of code starting at address 57786
- 4) Peek them to be sure they are OK.

Now RANDOMIZE USR sdk will give you a new alphabet, which will be used by LPRINT, LLIST and COPY from now on. If you want to recover the old original alphabet, simply POKE 23607,60.

Yes, we're reprinting Dick Scoville's fine Darkening program again (thanks too, to Triangle User Group). There seems to have been a little confusion on how to enter and use it.

The first listing given is assembly code. You cannot enter this unless you have an assembler. What Dick is doing here is copying the existing character set into high RAM (above 56576), all 768 bytes of character codes, while rotating each character to the RIGHT one dot and superimposing this "new" version over the old (OR (HL)). This puts an additional dot to the right of each original one in a character and gives the impression of bolder print.

The second and third listing give the decimal and hexadecimal values of the codes for the machine code instruction. For example:

MEM LOC	Decimal Value	Hex Value	Assembler Code	Means
57786	17	11 *	LD DE,	Load the DE Register Pair with the next two Bytes you find
57787	0	00	00	The addresses are always "backward", So this is DD00.
57788	221	DD	DD	
which is:				
56576		DD00	DD00	This will be the start of our "alphabet"
also:				
54,92		36,5C	5C36	The original character set in ROM is pointed to by this System variable.
which is:				
23606				

Examples of Machine Code Loaders are to be found in a number of the library programs. In this case, it might be just as easy to write one. Follow Dick's instructions and use the following program (or your own) at step 3.

```

1  REM Clear 56575
2  REM Let sdk = 57786 (sdk is the start of Dick's code)
10 Restore
20 For I = sdk to sdk+29
30 Read a: POKE I,a
40 Print I; " "; a; " "; PEEK I
50 Next I
(55 DATA 17,0,221,213,1,0,3,42
(56 DATA 54,92,36,126,167,31,182,18
(57 DATA 35,19,13,32,246,16,244,225
(58 DATA 37,34,54,92,201,0,0,0
60 Stop
100 Randomize USR sdk
110 LIST

```

Make sure all the values are correct e.g., 57518 should contain 201, the RETURN (to BASIC) command. If a value is wrong, simply poke it with the correct number. Once all has been entered correctly GOTO 100 and your machine code is safely tucked away above RAMTOP.

You can now safely new the MC loader program out of existence. (We assume you SAVE'd either the LOADER program and/or the CODE already. If not, save the program in the normal way, for posterity); save the code with SAVE "BOLD" CODE 56576, 1240. Then, to use "BOLD" simply LOAD "BOLD" CODE and Randomize USR 57786. To return to a standard character set; POKE 23607, 60. (What would happen if you POKE it with 221?)

Please use "BOLD" whenever you send in a program listing for publication in LISTing. This will make your listing much more legible, especially when photo-reduced.

Again our thanks to Dick Scoville for a useful routine and one simple enough to help us learn to use Machine Code.

@1985 P. Donnelly

* That's one 16 and one 1 for a total of 17 decimal.

Communications

TBBS SYSTEM PROTOCOL

=====

This section explains how TBBS handles the following features: Auto-Logon, file uploading and downloading, and message entry and retrieval. If you have never used a TBBS system before you should print or save to disk a copy of these instructions. They will help answer some of the more common questions asked about how to use TBBS.

1. AUTO LOGON

For Auto-Logon, TBBS sends your terminal a decimal 5 (Control-E) at the "First Name?" question. Your terminal software should respond to this by sending your log on in the following format:

Firstname;Lastname;City,State

(Note the semi-colons separating the different portions with no spaces before or after them.)

2. UPLOADING PROGRAMS

TBBS supports four different upload methods (protocols). These are:

1. Prompted mode. The prompt character is the '^' (greater than) character. The reason for utilizing a prompt character is to allow a delay to occur when the system is writing to the disk. The prompt will not reappear until the system is ready to receive the next line of text. To use this mode your terminal software must stop sending after each <CR> (carriage return) until it receives the next '^'. You terminate the upload by typing 'END'. No input data line may be more than 255 characters long in this mode.

2. X-ON after <CR>. This mode is very similar to the prompted mode. Your terminal program must stop sending after each carriage return and wait for an X-ON (Ctrl-Q) to be sent by TBBS before continuing. You terminate the upload by typing 'END' on a new line. The 255 character maximum line length still applies in this mode. Again, you terminate by typing END after a carriage return.

3. X-OFF/X-ON. In this mode your terminal program sends characters until it receives an X-OFF (Ctrl-S) from TBBS. Your terminal program then waits for an X-ON (Ctrl-Q) to resume sending. It must ignore any other characters (except to display them if desired) while waiting for an X-ON. In this mode, there is no limitation on line length. You still terminate this mode by entering END after a carriage return.

4. CP/M HODEN Protocol. This is a public domain file sector transfer protocol first used by the CP/M community. Any terminal program which supports this protocol may be used. This is by far the most secure file transfer method since the data is checked for integrity and re-transmitted automatically if a bad character is received.

3. DOWNLOADING PROGRAMS

TBBS supports three protocols for program downloading:

1. ASCII with Buffer Control Codes. To use this mode your terminal program must recognize a Ctrl-R as a code for opening its buffer. That is, when your terminal program receives the Ctrl-R it should start spooling all incoming data to a memory buffer. Upon receipt of a Ctrl-T it should stop spooling to the buffer. You then should have some method of dumping your memory buffer to a disk or tape file. Any non-ASCII software which appears in a download section will be sent as an ASCII hex representation of the machine language program. It is then necessary to convert this hex code back to the standard '/CHD' type file. Programs to do this are available as public domain software from many sources. Some terminal software packages have it included either as a separate program or built into the buffer mode.

2. ASCII only, no control codes. In this mode TBBS just sends the file data only. You must capture it as best you can. A non-ASCII file will still be converted to an ASCII hex data format as in method 1.

3. CP/M HODEN protocol. This is the same error checking protocol described above in UPLOAD but with TBBS on the sending end. It is compatible with the public domain HODEN.X series of CP/M programs.

4. X-ON, X-OFF Flow Control

TBBS supports X-ON, X-OFF flow control at all times when it is sending you data. At any time you may transmit the X-OFF (Ctrl-S) character and TBBS will instantly stop sending you output. Send X-ON (Ctrl-Q) to resume data flow to you. This allows your terminal program to stop character flow while it spools to disk anything you are saving. It also provides a means of manually stopping in menus and other areas where the 'P' for pause feature will not work.

5. FULL DUPLEX OPERATION

TBBS operates in a full duplex configuration and is always looking for command input when it is sending output to you. This means that you do not have to wait for a menu to finish listing to give your next command. The command will be acted on after the next letter is printed on output. During Message or Text file output (such as this) the 'P' key will halt after the next character transmitted. When in this pause state a carriage return <CR> will resume with the next character, and an 'S' will abort the rest of the printout. Menu commands are always one character and do not require a <CR>.

6. HELP IN HIGHER LEVELS

When you initially log on to the system you are in the beginner user level. In this level the system supplies many helpful explanations and lengthy prompts. Also each command menu is fully displayed. If you set your user level higher the prompts become much shorter to save transmission time. If you need help, however it is close at hand. At the Command: prompt press '?' at any time to get a full menu listing. A <CR> will give you the intermediate display in Expert and Super Expert modes or the beginner display if you are in the intermediate mode.

7. MESSAGE ENTRY METHODS

TBBS supports three forms of message entry. These are the line mode, prompted block mode, and unprompted block mode. The line mode is intended for manually typed in messages (the most common type). It prompts for each line with a line number and the count of characters left in the message buffer. The two block modes are intended to allow uploading of messages which were prepared off-line and are transmitted in a block by a smart terminal program. The prompted block mode supplies a '?' prompt for each line and behaves much as the prompted upload described above. The major difference is that instead of typing 'END' on a line to stop, a null line (<CR>) after the prompt character will terminate message entry. The unprompted block mode is for terminal programs which do not support prompted upload. In this mode the echo is shut off and characters may be sent in a continuous stream (even at 1200 baud) until either two <CR>'s in a row (equivalent of a null input line) or the buffer limit of 2048 characters is reached. The most usual problem area in block message input to TBBS is when you wish to include a blank line in your text. You must put at least one space in the line or it will be interpreted as the end of the message being entered. When you have entered your message you will be given a set of options as follows:

<L>ist, <C>ontinue, <E>dit, <S>ave, or <A>bort?

<L>ist displays your entered text without word wrap and with each line numbered. The numbers are used for editing if you wish. Remember that TBBS will word wrap your message when it finally displays it so the lines may not come out exactly as you expect them.

<C>ontinue will place you in the line mode at the end of your message so you may add onto it.

<E>dit will ask you for a line number. Enter the number of the line you wish to change (as shown by <L>ist) and the current line will be displayed. You then re-type just this line as you want it to be.

<S>ave will save your message to the system's disk message base and exit back to the menu.

<A>bort will give up on entering this message. All text will be thrown away and you will be returned to the menu as if you had never done the enter message command.

Our Thanks to Herbert W. for this download.



MICRODRIVE COMPATIBLE SOFTWARE

To the customer:

Now you have bought your Interface 1 you may be interested to know of some of the Microdrive compatible software currently available. The following list is of products which are currently endorsed by Sinclair as being Microdrive compatible. Except where stated they are not published by Sinclair, and Sinclair can therefore take no responsibility nor accept any liability for their quality nor fitness for the purpose for which they are being sold. The list is for information only and is intended to give you an opportunity of taking advantage of the Microdrive's fast loading facilities. The majority of these products allow you to take a back-up copy of the cassette onto a Microdrive cartndge, thus enabling you to load the product in seconds instead of minutes. In addition most of the programs allow you to store data relevant to the program on Microdrive cartndge.

Most of these products are available in the shops. Should you wish to contact the suppliers direct, however, their names are given below, and addresses overleaf.

PROGRAM NAME	TYPE	SUPPLIER
Cash Controller	Business	Richard Shepherd Software Ltd
Supercode II	Utility	Supersoft Systems
Editor Assembler	Utility	Picturesque
Spectrum Monitor	Utility	Picturesque
Paymaster	Business	Wildden Services Ltd
Masterfile	Business	Campbell Systems
Stock Control	Business	Kemp Ltd
Sales Ledger	Business	Kemp Ltd
Purchase Ledger	Business	Kemp Ltd
Hisoft Pascal	Utility	Hisoft
Hisoft Devpac	Utility	Hisoft
Bank Account system	Business	Bridgebrook Intek
Sales Ledger	Business	Hestacrest Ltd
Purchase Ledger	Business	Hestacrest Ltd
Cash Book	Business	Hestacrest Ltd
Nominal Ledger	Business	Hestacrest Ltd
Machine Code Test Tool	Utility	Oxford Computer Publishing Ltd (OCP)
Full Screen Editor/Assembler	Utility	OCP
Address Manager Plus 80	Business	OCP
Finance Manager Plus 80	Business	OCP
VAT Manager Plus 80	Business	OCP
Word Manager Plus 80	Business	OCP
Word Manager Standard	Business	OCP
Stock Manager Plus 80	Business	OCP
The Runes of Zandos	Adventure Game	Dorcas Software
D/E Accounts	Business/Educational	Cases Computer Simulations Ltd
Statspak 1	Business/Educational	Cases Computer Simulations Ltd
Friendly Face (cassette or on cartridge)	Utility (Provides for transfer of programs from cassette to cartridge)	Monitor Ltd
Business Bank Account	Business	Transform Ltd
Sales Day Book	Business	Transform Ltd
Purchase Day Book	Business	Transform Ltd
Stock Control	Business	Transform Ltd
Payroll	Business	Transform Ltd
Invoicing	Business	Transform Ltd
Superfile	Business	Transform Ltd
Sales/Purchase Ledger/Invoicing	Business	Transform Ltd
Reversi (also known as Othello)	Strategy Game	Games of Skill Ltd
16/48 (the monthly cassette magazine)	Magazine	16/14 Magazine Ltd
Matrix Operations/Linear Program	Utility	University Software
Regression/Statistics	Utility	University Software
Library of Advanced math/stat/econ	Utility	University Software
Tasword II	Word Processor	Tasman Software
Logo	Teaching Language	Sinclair Research Ltd

Most of these software titles are available in the shops. If you wish to contact the appropriate suppliers yourselves please use the following address and phone numbers:-

Sinclair Research Ltd Stanhope Road Camberley Surrey GU15 3BR Tel: (0276) 685311	Transform Ltd 41 Keats House Porchester Mead Beckenham Kent
Richard Shepherd Software Ltd Elm House 23-25 Elmshott Lane Slough Berks	Games of Skill Ltd 1 Francis Avenue St Albans AL3 6BL
Supersoft Systems 91 Manor Road Higham Hill London E17 5RY	16/18 Magazine Ltd 10 Barley Mow Passage Chiswick London W4 4PH Tel: 01-994-6477
Picturesque 6 Corkscrew Hill West Wickham Kent BR4 9BB	University Software 29 St Peter's Street N1 8SP
Wildden Services Ltd 2b Beaconfield House Beacon Road Crowborough E Sussex TN6 1AX	Hisoft 180 High Street North Dunstable LU6 1AT
Campbell Systems 15 Rous Road Buckhurst Hill Essex IG9 6BL	Bridgebrook Intek 45 Burleigh Avenue Wallington Surrey SM6 7JG
Kemp Ltd 43 Muswell Hill London N10 3PN	Hestacrest Ltd P O Box 19 Leighton Buzzard Beds
Cases Computer Simulations Ltd 14 Langton Way Blackheath London SE3 7TL	Oxford Computer Publishing Ltd Brimrod 4a High Street Chalfont St Peter Bucks SL9 9QB
Monitor Ltd P O Box 442 Mill Hill London NW7 2JF	Dorcas Software 3 The Oasis Glenfield Leicester

Software houses with commercial products compatible with the Microdrive, and wishing their products to be added to this list should write to the following address:

The Software Manager, Sinclair Research, Stanhope Road, Camberley Surrey, GU15 3PS

Try This!

```

5 CLS : DIM BEEP $,1 : POKE 23609
75 POKE 23609
10 INPUT "CASSSETTE #, OR TITLE"
20 PRINT "2068"
30 DRAW 0,175 : DRAW 207,0 : PLO
T 207,0 : DRAW 0,175
40 LOAD "111"
100 PRINT "2068"
LOAD "111"
9999 SAVE "LIST" : BEEP $,1 : C
PRINT "REWIND, PLAY TO VERI
FY" : VERIFY "LIST" : BEEP $,1 :
PRINT "VERIFIED!"

```

LIST GROUP

CATALOGS RECEIVED

ACE Software
2 East Oak Avenue
Moorestown, N.J. 08057

Aerco
Box 18093
Austin, Tx 78760

Macshak Software
73-312 Ironwood Street
Palm Desert, Ca 92260

Technology Research Ltd
Unit 18, Central Trading Estate
Staines, Middlesex TW184XE
England

Tasman
Springfield House, Hyde Terrace
Leeds LS29LN
England

Software Supermarket
87 Howards Lane
London SW15 6NV
England

Magnetic Media of New England
PO Box 780
Beverly, Ma. 01915

Quick Silva - Spectrum
Susan Ziegler
14307 Ben Brush
San Antonio, Tx 78248

Lmar Ltd
POB 4442
Oceanside, Ca. 92054 -0835

Thos. Woods
PO Box 64
Jefferson, N.H. 03583

Curry Computer
5344 West Baniff
Glendale, Az

English Micro Connection
15 Kilburn Ct.
Newport, RI 02840

Quick Silva - 2068
Knighted Computers
702 Highland Street
Fulton, N.Y. 13069

D. Lipinski Software
2737 Susquehana Road
Roslyn, Pa 19001

Sunset Electronics
2254 Taraval Street
San Francisco, CA 94116

National Software Library
42 Harefield Avenue
Chearm Surrey SM 27NE
Great Britian

Has 2 programs for the TS1000 & 2068; 'PAYOFF'
Helps you manage your charge accounts.
Payout - for home budgeting - Price \$14.95 each

Disc Drives \$99.
Interface for 2068, called FD68, has 64K RAM on
board \$199. & RGB Interface - TS 2068 only
Also - parallel or Serial Interfaces, seperately
at \$69 & \$99.

Has programs for 2068 & 1000 - examples: Keno for
2068 \$19.95 + \$2. P&H - Investical for 2068
\$19.95+ 2 P&H (Funds management)

Beta Disc Drive £ 95 + f 17.50 P&H
for Spectrum 48K
We have catalog & some magazine reviews.

Complete line of word processors & interfaces for
the Spectrum. Tasword II £13.90 Phone (0532)
43801

Good assortment of Spectrum Software - some
hardware - Takes Visa - Prices - Full list
including VAT, even on overseas orders.
01-789-8546 (24 hours)

Nashu a DS/DD diskettes \$1.09 each (for fifty)
+ 2.50 P&P. Fast Service (617) 927-0905

Games - Spectrum (512) 492-8054

H. Newenkott

Will buy or sell your Timex product e.g.:
TS 1500 Buy @ \$20.25 = Sell @\$27.00

Profile 2068 - Tom Bent's improved ZX81 ROM,
& other hardware & software.

TS 2068/1000 & Spectrum Products - Large Selection

Spectrum Products at very good Prices -
no Plastic.

Games - 2068 - 315-593-8219

A software buyers Guide - \$20.00 - Covers All
TS vendors in the US.

(415)-665-8330 Virtually a
Complete stock of hdnr &
Software. List prices or below
Takes plastic

Membership \$ £3.00
See Steve Tibbles letter

We have received catalogs from most US and some U.K. Vendors of hardware and Software. Check the library for our catalog file. Ask too about the "junk mail" catalogs if you're interested in items for other computers (e.g., we just received one for the TI99 computer which seems to have good prices)

4/85
sinclair
group

- A & J Microdrive, 1050 E Duane Ave, Suite 1, Sunnyvale, CA, 94086
 Aardvark, 2352 S Commerce, Halled Lake, MI, 48088
 AB Engineering, 11896 Clair, Hartland, NJ, 43029 *
 Ace Software, 2 E. Oak, Moorestown, NJ, 08057 *
 Ack-Hoh Enterprises, 12824 Claxton Drive, Laurel, MD, 20708 *
 Addison Hostley Publishing Co, Jacob Way, Reading, MA, 01067 *
 Parvulesch Adrian, 31-20 54th Street, Suite 1D, Queens, NY, 11377
 AFR Software, 1605 Penn Ave #204, Miami Beach, FL, 33139
 Aerco, Box 18093, Austin, TX, 78760 *
 Alexeff Engineering, 2790 Turpike, Oak Ridge, TN, 37030 *
 Alpha Electronics, PO Box 1088, Alpha, NJ, 08065 *
 Anchor Automation, 6913 Val Jaen Avenue, Van Nuys, CA, 91405
 Apropos Technology, 1071-A Avenida Acazo, Camarillo, CA, 93010 *
 arizoftX, 6501 East Monterosa Street, Scottsdale, AZ, 85251 *
 Audiograph Co, 3504 Leroy, Ann Arbor, MI, 48103
 Audio Vision, 1279 N Normandie, Los Angeles, CA, 90027
 J. Auersbacher, 41 King Street, Belleville, NJ, 07109 *
 Banta Software, 8068 Highway Way, Orangevale, CA, 95662 *
 Bantam Books, 566 5th Ave, New York, NY, 10103
 Barlog Software, 401 N Geyer Rd, Kirkwood, MO, 63122
 Basic, 3705 Discayne Blvd, Miami, FL, 33137
 Basically Programming, 2528 W. Olive Avenue, Fullerton, CA, 92633 *
 Andre Baune, 304 Scott, Chateaugay, Quebec, Canada J6J 4H5
 Jerry Bennett Software, 148 Carling Ct, San Jose, CA, 95111 *
 Blocal Software, 340 Cypress Drive, Fairfax, CA, 94930
 Dirkhauser Boston, Inc, 300 Green St, Cambridge, MA, 02139
 The Boston Computer Society, Three Center Plaza, Boston, MA, 02108
 Robert J. Brady Co, Bowie, MD, 20715
 Brainchild Computer Works, POB 506, Pewaukee, WI, 53072
 Russell Brewer, 26630 Hill Rd, Frazeeburg, OH, 43822 *
 Brooklyn Closeout Corp., 167 Clymer Street, Brooklyn, NY, 11211 *
 E. Arthur Brown Company, 3404 Pawnee Drive, Alexandria, MN, 56308 *
 Budget Robotics & Computing, PO Box 18616, Tucson, AZ, 85731
 Busyness, POB 421773, San Francisco, CA, 94101
 Byte-Back Co, Rt 3, Box 147 Brodie Rd, Leesville, SC, 29070
 Bytes & Pieces, 550 N 68th St., Wauwatosa, WI, 53213
 C & A Distributors, 4701 N.W. Linden Road, Kansas City, MO, 64151
 Rod Callahan, Rt 1, Box 50, Miami, OK, 74354 *
 Ken Carpenter KC4UG, Box 500, Vernon, AL, 35592
 Chipmunk Software, 634 Littlecroft Road, Upper Darby, PA, 19082 *
 Christian Software, Box 547 - St. Rt. 590, Bettsville, OH, 44015 *
 Cinagro Software, 155 7th St., Rochester, NY, 14609
 Jim Clatfelter, 646 Corwin Ave, Glendale, CA, 91206 *
 Compu Corporation, 1101 Bristol Rd, Mountainside, NJ, 07092 *
 CompuSoft Publishing, Inc., 535 Broadway, El Cajon, CA, 92021 *
 Computer Continuum, 301 16th Avenue, San Francisco, CA, 94112 *
 Computer Shopper, PO Box F, 407 S. Washington Ave., Titusville, FL, 32796
 The Computer Trader, POB 20976, San Diego, CA, 92120
 Computer Ware Publishing, 92 Ruskin St., Ottawa, Ontario, Canada K1V 4G2 *
 Computer-Ware Software, POB 1059, Riverdale, NY, 10471
 Cottage Technology, 5720 W Little York, Suite 17C, Houston, TX, 77091 *
 Creative Computing Press, 39 E Hanover Ave, Morris Plains, NJ, 07950
 Crypt, 303 Meadowlark Lane, Durant, OK, 74701 *
 Crystal Coast Software, POB 233, Morehead City, NC, 28557
 C-Tech, PO Box 38553 #178, Houston, TX, 77238
 Curry Computer, 5344 W Banff, Glendale, AZ, 85306 *
 C. U. Associates, Department L, 419 N Johnson St, Ada, OH, 45810 *
 DAK Industries, 10045 Vanowen Street, W. Hollywood, CA, 91605
 Datacon, PO Box 775, Kernersville, NC, 27284
 Development Associates, 1520 South Lyon Street, Santa Ana, CA, 92705 *
 Development Engineering Laboratory, 13512 Keating St., Rockville, MD, 20853 *
 Delphic Enterprises, PO Box 72205, Corpus Christi, TX, 78472 *
 Jack Deuber Software, PO Box 305, Casselberry, FL, 32707 *
 Doug Dewey, 206 James St, Carrboro, NC, 27510
 DHS, POB 681, Orlando, CA, 95963
 dilithium Press, 6285 S. Hibbus, Suite 151, Beaverton, OR, 97005 *
 Discount Software, 320 E 50th St, New York, NY, 10022
 Doc's Software, 4339 Keysville Ave, Spring Hill, FL, 33526
 Dokay Computer Products, 2100 De La Cruz Blvd., Santa Clara, CA, 95050
 C. Dos-Santos, PO Box 9521, Fountain Valley, CA, 92728 *
 Down East Computer, PO Box 3036, Greenville, NC, 27634 *
 Dynamic Designs, PO Box 872, Horco, CA, 91760 *
 Electronic Technology Today Inc., PO Box 240, Massapequa Park, NY, 11362 *
 EHER-X Company, PO Box 635, Fort Washington, PA, 19034 *
 Executive Workshop, 7420 S E Woodstock Blvd, Portland, OR, 97206
 E-Z Key, Suite 75 A, 711 Southern Artery, Quincy, MA, 02169 *
 Ezra Group II, PO Box 5222, San Diego, CA, 92105 *
 FarSide Creations, 543 Ironwold Trail, Carol Stream, IL, 60188 *
 Bob Fingerle, 39039 Embarcadero Terr., Fremont, CA, 94530
 Charles T. Fischer, 75 Dunfries Terrace, San Rafael, CA, 94901 *
 Farydel Frohne, 601 R. Highway 83, Bensenville, IL, 60106 *
 Games to Learn By, 2 South St, Box 575, Williamsburg, VA, 01096
 Ganhart/EARTHings, 115 K. Rocky River Dr, Berea, OH, 44017
 Blaine Gaudes, 11278 Mount Allison University, Sackville, N.B., Canada E0A 3C0 *
 General Systems Consulting, 2312 Rolling Rock Dr, Conley, GA, 30027
 Gesang Associates, POB 452, Randallstown, MD, 21133
 Herman Geschwind, 1714 Clarendon Dr, Greensboro, NC, 27410
 Gibson Data Services, 9 Orchard Drive, Durham, NH, 03824
 Gladstone Electronics, 90 Furrmann Blvd, Buffalo, NY, 14203
 Granada Publishing, 515 Madison Ave, New York, NY, 10022
 The Great Am. Software Exchange, Dept CS, POB 1548, Springfield, VA, 22151
 Hayne Green Books, 86 Pine Street, Peterborough, NH, 03455 *
 Group Technology LTD, POB 67, Check, VA, 24072
 L. Harmon, 4909 Clearlake Dr, Metairie, LA, 70002
 Hawk Wild Software, PO Box 7660, Little Rock, AR, 72217 *
 Heath Computer Services, 950 East 52 South, Greentown, IN, 46936
 Dave Hebert's Computer Classifieds, PO Box 344, Leola, PA, 17540
 Heller Paper Co, 2123 E 34th St, Brooklyn, NY, 11234
 Hobby Robot Co, POB 507, Hazlehurst, CA, 31539
 Home Doctor Software, 1445 Oldfield Road, Decatur, GA, 30030
 Hunter Electronics, 1630 Forest Hills Drive, Okemos, MI, 48864 *
 Hydrion, 614 Linden Hill, Lindenwood, IL, 03021 *
 I. H. S. Enterprises, Box 4503, Lancaster, CA, 935394503 *
 Independence Research, POB 1497, Urem, UT, 84057
 Integrated Data Systems, 11 Brighton Ave, Toronto, Ontario, Canada M4M 1P3
 Interface Innovations Inc., 4372 Casa Brazillia Suite 201, St. Louis, MO, 63129 *
 JDR Microdrives, 1224 S. Bascom Ave., San Jose, CA, 95126
 JN Audio, PO Box 3295, Escondido, CA, 92025
 J-L Software, 1352 Appleford Street, Gloucester, Ontario, Canada K1J 6T4 *
 JPR Software, PO Box 4155, Winter Park, FL, 32783 *
 JRC Software, John Richard Coffey, PO Box 446, Scottsburg, IN, 47170 *
 K.U. & E. Publishers, PO Box 6750, Chicago, IL, 60680 *
 J. C. Kilday Associates, Central Avenue, Peaks Island, ME, 04108
 KF Kinabrough, 723 Roselle Ave, Floor 2, Akron, OH, 44307
 Knighted Computers, 707 Highland St., Fulton, NY, 13069 *
 Arnold Kogler, 2 Jane Street, New York, NY, 10014
 Koff, 645 Sullivan Rd, Springfield, IL, 62540
 K-2 Electronics, 3990 Varisty Dr, Ann Arbor, MI, 48104
 John Kuhn, 1707 King St., Jacksonville, FL, 32204 *
 Virginia T. Lako, POB 351, Hockessin, DE, 19707
 L & G Enterprises, PO Box 6354, Silver Spring, MD, 20906-0354 *
 D. Lipinski Software, 2737 Susquehanna Road, Roslyn, PA, 19001 *
 Luxtron Inc., 241 Winter Street, Haverhill, MA, 01830
 Magic World Software, PO Box 1184, Olyphant, PA, 98507 *
 Maranatha, POB 759, Hableton, CA, 30359
 Markel Software, POB 2392, Secaucus, NJ, 07094-0992
 Maryland Book Exchange, 4500 College Avenue, College Park, MD, 20740
 Mech. Design Analysis, 1235 Ladera Street, Dubuque, IA, 52001
 Micro-Load, PO Box 1095, Truth or Consequences, NM, 87901 *
 MicroSync, 404 Fowley St., New York, NY, 10031
 Midwest Software Co., 2222 Hamrick Dr., Crestwood, MD, 63126 *
 Hill Research, 32740 Avalon Crescent, Abbotsford, BC, Canada V2T 3K0
 Robert C. Joler, 5905 Secor Rd., Traverse City, MI, 49684 *
 Monixware, PO Box 310, HFLD, NJ, 07435
 Mountaineer Software, 115 North 7 Avenue, Pagen City, WI, 26159
 R. Heib, 30 Whitney Ridge, Hamden, CT, 06510
 Nelco Pacific, PO Box 202, Edmonds, WA, 98020 *
 Occam Research Inc., Box 1055, Trumansburg, NY, 14866 *
 The John Oliver Co., 1101 Whidbey Dr., Cumberland, IN, 46225 *
 Orange Coast Software Corp., PO Box 951, Midway City, CA, 92655
 Orion Computers, Rt. 2, Box 310, Louisville, TN, 37777
 Orion's Belt Enterprises, 107 N Fairway Rd, Glenside, PA, 19030
 Pacific Information Inc., 11604 Ventura Boulevard, Suite 295, Studio City, CA, 91604 *
 Peeph II Productions, 6333 Parkman Pl., Cincinnati, OH, 45213
 Phoenix Enterprises, 1750 W DuPont Hwy., Mo. 17, Dover, DE, 19801 *
 Pion Software Co., 541 Fairlawn Avenue, Toronto, Ontario, Canada M5C 1V5
 Pleasantrees Programming, PO Box 7345, Mesa, AZ, 85205
 Poretsky & Poretsky Inc., 521 Argyle, Brooklyn, NY, 11218
 Practical Programs, Inc., PO Box 93106, Milwaukee, WI, 53203 *
 Krain D Pritts KAZLHO, 3421 Onida St., Chaddicks, NJ, 13319 *
 Pyramid Electronics, 2174 Gulf Gate Dr, Sarasota, FL, 33561
 Quicksilver Inc., 420 W. Nakoma, San Antonio, TX, 78216 *
 QZX, c/o Alex Burr, KSXY, 2025 O'Donnell Dr, Las Cruces, NM, 88003 *
 RAN, 4735 N Milwaukee Ave, Chicago, IL, 60630 *
 Ramex, 40545 Van Dyke, Utica, MI, 48067 *
 Red Ballon Software, Pilcher Ecosystems, Inc. II, 17015 Madison Rd., Head, WA, 99021 *
 Rhesware, 4001 Penwood #3, Las Vegas, NV, 89102
 R.I.S.T. Inc, POB 495, Fort Hamilton Sta., Brooklyn, NY, 11209
 Rototec, 50 C St., Apoinet Ind Park, Perrysburg, OH, 43551
 Rompak Inc., 1525 Aviation Blvd, Suite A11, Redondo Beach, CA, 90278
 Russell Electronics, PO Box 539, Centre Hall, PA, 16828 *
 Howard W. Sams, 4300 W 62nd St, Indianapolis, IN, 46260
 S & S Company, 368 N Lake St, Addison, IL, 60101
 SCDF, Inc., PO Box 5021, 733 Concare, Richmond, KY, 40475 *
 Second Base, 700 Lexington Avenue, Altona, PA, 16001
 Paul F. Seymour, P.E., PO Box 11, Hamburg, NJ, 07410
 Sharp's, 127 Mine Hill Rd., Sandston, VA, 23150
 Sheridan House Inc., 145 Palisade Street, Ogdons Ferry, NY, 10522 *
 Edward Sigorski, PO Box 842, Susquehanna, PA, 16847
 Sinclair Research Ltd., 50 Staniford Street, Boston, MA, 02114
 Simplex Software, POB 752, Key Brunswick, NJ, 08035
 Simulcon, PO Box 23-2, La Jolla, CA, 92036
 Sincus Hens, PO Box 523, Onego, NY, 13827 *
 Simare, POB 8032, Santa Fe, NM, 87504
 Siriusware, 8 Turning Hill Road, Lexington, MA, 02173 *
 Skinner Electronics, PO Box 7-7, Fallbrook, CA, 92028
 Smalltype Software, 519 Independence Ave, SE, Washington, DC, 20003
 Kendric Smith, 227 Years Ct., Stanford, CA, 94305
 Softgens, PO Box 119, Hayville, NY, 14757 *
 Soft Logic Corporation, 1211 J. High Street, Bryan, OH, 43906
 Software Associates, 191 Huron St., Toronto, Ontario, Canada M4B 2Y6 *
 Software Associates, 210 Fifth Avenue, New York, NY, 10010
 Softsync Inc, 14 E 34th St, New York, NY, 10015
 Software Solutions, 827 Sears Court, Stanford, CA, 94305 *
 Softway, 3300 Midway Dr., Dept 124, San Diego, CA, 92116
 Sourceware Inc, POB 1879, Dept 51-1, Vernon, UT, 84075
 Speedharm, PO Box 13126, Austin, TX, 78740
 David Spellan, PO Box 2370, Provo, UT, 84603
 Spharler Software Systems, 4100 Springbrook Circle, Sacramento, CA, 95831 *
 Story Software, 3130 S 97th Street, Milwaukee, WI, 53221
 Sturdivant Laboratories, Box 116, Bedford, MA, 01830
 Sun-Mare, 810 Sunset Road, Alhambra, NY, 14604
 Sunset Electronics, 2254 Teraval, San Francisco, CA, 94110
 Sybex Computer Books, 2344 Sixth Street, Berkeley, CA, 94710 *
 Sync-abstracts, PO Box 313, Boston, MA, 02150
 Synchare Plus, PO Box 64, Jefferson, NJ, 08030
 Syntax, The Harvard Group, Rt 2, Box 467, Haverhill, MA, 01831
 The Software, PO Box 600, Waukegan, IL, 60079
 Tapecon Inc., 45 Jefferson St., Stamford, CT, 06902 *
 Technology Products and Services Inc., PO Box 1230, West Palm Beach, FL, 33402-1230 *
 TCD Computer Products, 659 W Virgil Ave, Los Angeles, CA, 90029
 C. Vernon Tidwell, P.E., 1303 Whitehead St, Key West, FL, 33040 *
 Time Designs Magazine, 29722 Hult Road, Colton, OR, 97017 *
 Timensa Software, 3707 Downey Dale Dr, Randallstown, MD, 21133
 Timelinez, PO Box 1312, Pacifica, CA, 94044
 Toco Technology, POB 50, Santa Claus, IL, 47579
 Toronto Software World, PO Box 64, Mississauga, Ontario, Canada M1S 3B4 *
 Triangle Sinclair User Group, Doug Dewey, 206 James St, Carrboro, NC, 27510
 T-S Horizons, 2002 Summit St, Portsmouth, OH, 45662
 T.S. Services, PO Box 15214, Red Bank, TN, 37145 *
 TSUG, c/o Douglas Dewey, 206 James St, Carrboro, NC, 27510
 21st Century Electronics, 1013 Polk Street, Guttenberg, NJ, 07093 *
 2-Bit Software, PO Box 2036, Del Mar, CA, 92014 *
 VAS, PO Box 612, Haddonfield, NJ, 08033 *
 Val Corporation, 1621 N. Lakefield Street, Arlington, VA, 22207
 Votrax Inc., 1394 Nankin, Troy, MI, 48063
 Harvey Wasserman, 4604 Apple Tree Dr., Alexandria, VA, 22310
 AT White, 308 10 1/2 Avenue St, Rochester, NJ, 95902
 White Lightning, Rte 4, Box 2240, Lufkin, TX, 75901
 WMA Software, PO Box 5223, Roanoke, VA, 24012 *
 Widiup Co., 1120 Merrifield SE, Grand Rapids, MI, 49507
 Wizard Works, PO Box 65, Walkerville, NJ, 48450
 WJ Data Systems, 4 Butterfly Drive, Hauppauge, NY, 11780 *
 Tom Woods, PO Box 64, Jefferson, OH, 03563
 Zebra Systems Inc, 78-06 Jamaica Ave, Woodhaven, NY, 11421
 ZX-Panding, Ltd., PO Box 25, Herndon, VA, 22060

NOTE: * Designates that these suppliers are listed in the DLS Buyers Guide and we have written confirmation that they are still going to support the Timex and Sinclair computers. The remaining have advertised or have had their name mentioned in a publication as still supporting the computer. We also know of over 300 other possible suppliers, but we have not been able to confirm that they are still supporting the computers. We hope to have this information for the update of the guide.

D. LIPINSKI SOFTWARE BUYERS GUIDE TO SINCLAIR TIMEX PRODUCTS & SERVICES is now available. \$20.00

D. LIPINSKI SOFTWARE
 2737 Susquehanna Road
 Roslyn, PA 19001 USA

LETTERS TO LIST

Wes Brzozowski
337 Janice St.
Endicott, NY 13760
March 10, 1985

Harold Farb, Who are you!

Mr. Pashtoon,

This is just a little note to tell you that I've appreciated your articles in the L.I.S.T. newsletter and in SYNTAX. The latest L.I.S.T. newsletter suggests that John Oliver "took you to task" because of the microdrive interfacing techniques you've used. I hope this will not discourage you from continuing the work you've been doing. It's very helpful and very important.

Although I agree with some of the points Mister Oliger seems to have made, it's far more significant that you've achieved success. Because of that success, others will be encouraged to spend the not insignificant amount of money needed to try for themselves. I've designed & built my own interface, for example, but would never have tried except for the kind of news you presented in your articles. (It's all very nice to be a pioneer, but I personally needed some assurance that the problem could be solved before I'd shell out 125 bucks.) After I did get started, the L.I.S.T. newsletters with your articles were never far away; they were highly valuable in getting my design to work.

Looking at the "big picture", I'm sure that your articles will have catalyzed a cycle of design projects from which more and more versatile microdrive interfaces will evolve. I have hopes that my design might be the next step, (but by no means the last!) but for that, we'll just have to wait and see. My write up will appear in the March Sincus News, which your group receives from us. If you've got a spare moment to look it over, I'd be very pleased to hear your comments or suggestions. In any case, I hope it might be of some use to you, after all the help you've unknowingly given me.

Thanks so much & keep up the good work!

Sincerely,

Wes Brzozowski

This is not that funny. Please refrain from this type of activity.

PC WORLD

INVOICE DATE- 02/16/85

WELCOME. YOUR FIRST ISSUE OF
PC WORLD IS ON ITS WAY.
PLEASE PAY INVOICE PROMPTLY.

SUBSCRIPTION INVOICE

Your Order:

21172 1FR80 32224 3AH95 1 041

PC 300

MR HAROLD FARB
TIMEX

INLET BOX 436
CENTERPORT
NY 11721

.....

Please return this statement with your payment. Make checks payable to PC World. Thank you.

We get all kinds of mail-

HERE'S
IF YOU'VE GOT SOMETHING TO SELL...
THE BOOK THAT WILL DELIVER YOUR BUSINESS!
NOW PROMOTE YOUR PRODUCTS FOR
SERVICE OR YOUR MESSAGE TO MILLIONS FOR
PENNIES—OR LESS!

通靈藥水

MedTech

MEMBERS ASK?

Ed Wheeler needs to know: How do we change "Organizer" to work with 64K.

R. Nieuwenhoff - as far as I know, Memotech is still in business

4/85

LETTERS

ZX81's OK!

I am a long-time admirer of the enthusiastic and talented work of those who contribute to putting **Radio-Electronics** in my mailbox each month. More recently, I have joined the people who put together **ComputerDigest** to the category of "good company".

With that truthfully said, and with the hope that the truth will only set one free, but get the point to the next paragraph, I would like to offer a comment or two to Mark Latham's comments contained in his worthwhile article "Machine Code Development System" in the January issue.

Mark Latham commented in the second paragraph of his article that the lack of speed (in loading and running programs) really prevents the ZX81 and/or the Timex Sinclair 1000 from serving any useful purpose.

First, may I say that he and I are, apparently of one mind in our desire to find useful purposes for the ZX81. It seems to possess great speed and capability. We diverge though at the point of the program running ability in terms of

speed.

The text characters being manipulated to produce them in acceptable written form and send them on to you are being done in BASIC and at a speed which is comparable with that which I can get on paper with the IBM in the closet, and with less effort.

Once "finalized", it goes to a Gemini printer at 4600 baud via a Byte-Back RS-232C Serial device; at a speed that is very fast.

I have a quarterly federal and state estimated tax program jammed within the perimeters of VU-CALC which allows me to perform that chore four times yearly in at least a twentieth of the time it would take me without it, and, from what I'm able to read, the expensive machines could not really do it substantially quicker.

I therefore find that the ZX81, despite the negative comments by both friends and non-friends, as to running speed, do not correspond to my own experience. Further, when one weighs the cost vs. utility factor, there simply is no contest for home use.

As to loading. The approximately 200-baud loading

speed is a tad slow for most programs. However, for a modest sum, fast loading programs and devices are available and in constant use by many of us who spend much time at the ZX81.

Recently, I was amazed to read, I think the article was by Mr. Friedman, in another publication, that it took him 72 seconds to disk-load CPM to, I presume, one of those more costly machines. Honestly and excuse my naivete, from the many many articles I had read to that time, I believed that a "slow" disk loading took 10 seconds while the fast one probably took 5 seconds.

My amazement changed rather quickly to smugness as I realized that I have been loading three-16 programs back-to-back, accessible to each other and run-able (48K's worth) in 76 seconds flat (and that's with a \$23.00 cassette recorder and an under-\$1.00 data cassette tape).

In conclusion, I wish to say that the ZX81 is not as slow running as many say and for one-one-hundredth the cost of a disc drive, is not slow loading either.

JE JUERGENS, Pacifica, CA

Dear R&E,

I thought I would sit down and give you what info I have on the programs and such for the SPECTRUM. As far as being able to travel to England, that is pretty well out. As of this writing, I have 83 days left in Europe, and then me and Uncle Sam are going our separate ways. However, I can give a little help on getting hold of some programs (all categories).

Since it sounds like at least a few of you subscribe to YOUR COMPUTER magazine, you might have noticed the ads for the different rental (or HIRE) organizations. I sent inquiries to the three that were listed. I received an answer from two of them. One was the German branch of the organization, and their literature was in German. They had only a few titles available. The other was the National Software Library. The membership fee was only a mere \$3.00 for 1 year. They presently boast a library of 440 different titles and a membership of approximately 4000 SPECTRUM owners.

Their prices (for a multiple tape order) start at just 63p per tape, plus postage, packing and Value Added Tax. There are two methods of ordering. The cheapest is to give a choice of 4 titles for each tape you wish to rent, cost as follows:

1 tape 70p+34p P&P + 16p VAT TOTAL \$1.20
2 tapes \$1.30 (65p ea) + 60p P&P + 42p VAT TOTAL \$2.30
3 tapes \$1.89 (63p ea) + 89p P&P + 42p VAT TOTAL \$3.20

If you choose a single title for each tape they give you order preferential treatment and will despatch single tapes if all the tapes you've picked are not immediately available. (This can involve a lot of extra work, maintaining waiting lists etc.). The costs are as follows:

1 tape 88p + 34p P&P + 16p VAT TOTAL \$1.40
2 tapes \$1.57 (78.5p ea) + 60p P&P + 33p VAT TOTAL \$2.50
3 tapes \$2.15 (72p ea) + 89p P&P + 46p VAT TOTAL \$3.50

Tapes are also available for purchase. They are sold at less than the suggested retail price. If you wish to purchase the tapes that you have rented, you can deduct another pound from the price. There are several tapes which they cannot rent but do sell at a discounted price.

Occasionally, they will clear old tapes or tapes of which they have an abundance. These will sell from \$1.00 to \$4.00 apiece. (Yes that copy of TIMEGATE that we spent \$24.00 on is being sold for \$2.00, and PSION's FLIGHT SIMULATION for \$3.50).

Not all titles are available from them, but a good number are and it is well worth the \$3.00 investment. There is also an added postal charge for those living outside the U.K. Add 50p per tape towards postage. In the USA payment is in cash (sterling) or International Money Order drawn in Sterling.

The reason for the requirement of payment in Sterling is that their bank charges \$2.00 for each check drawn on foreign currency.

The address is:

National Software Library
42 Harefield Avenue
Chesham, Bucks HP26 7NE
Great Britain

I'm sure they would appreciate the business and you will appreciate the availability of software.

Steve Tibbles

MARCH 1985

39



Paul Donnelly
Long Island Sinclair User Group
P.O. Box 113
Hempstead, NY 11549-0113
U.S.A.

Dear L.I.S.T.:

My name is Everett Talavera and I'm the leader of the recently born "MEXICO CITY'S TIMEX SINCLAIR USERS GROUP". Weeks ago, over Times Info Searcher Adriana Rodriguez knew about you thru Pleasantree and wrote to you. We have received your newsletter; we thank you for write back very fast, that demonstrates that you really want to help us.

Ever NSUG was born only about 3 months ago. We have contact with a good number of companies that support T/S.

I have a few questions, request and advice, could you help me?

At Curry Computer
5344 West Bancroft Lane
Glen Dale, AZ 85306

I saw the Mindware dot Matrix Printer, at the the laudable price of 29.95 + 3.95 S/H, that it's very small - width 1 3/4" and that it prints only 16 char. per line. I thought the price was worth it. If you know how good it is, please let me know. About your spectrum Rom, I'd like to know what's the cost of compatibility with Spectrum Software and how much would it cost to send to Mex. Do you know where can I get the T/S 2068 BIT MAP? There are rumors about that SINCLAIR comes to Mexico, could you check it out?

As you know, our NSUG is just starting and I'd like some help to organize and print a newsletter for them (be cause lots of them don't talk english). And the biggest favor, INPO in Mexico is zero and Mexican users have very little software, so please, could you tell to each and every member of your group that we send an SOS for our program library that's very limited. We don't care the programs size or the type; we will be so grateful to find on our mail box programs donated from your kind members. I promise to pay back their postage.

About the subscription to your newsletter, I'd like to send my sub. in cash and in 3 pays, 5, 5 and 5, why in 3 pays? Because Mexican post officers could find my money and at least or 5 bucks will arrived. So just say O.K. to send money (after each pay, that you received my truck please let me know). I've enclosed 3 dollars for two issues, January - and March, please send them.

Well, I think I have asked too much, but I love T/S computers and I want to help my brothers T/S users in Mexico. Please help us on our requests, and write back soon! all our members will be counting every day!

L.T.
The T/S lover.


P.S. Any old and ugly book or anything about T/S computers, will help us more than you think I thanks a lot.

sent 11-14-83 on 4/28/85

13

LONG
ISLAND
SINCLAIR
TIMEX

4/28



T. RUSSELL
02/28/85

Technical Report:

COOLING YOUR ZX 81/TS 1000

If you are looking for high reliability with continuous operation of your ZX 81/TS 1000, then this article may be for you.

POWER SUPPLY

Many articles appearing in various Timex/Sinclair related publications during the past few years have stated that within the "black box" there was excessive heat build-up, which eventually would lead to computer failure. Some of the remedies spelled out were to cut slots or drill holes in the top and bottom of the case to allow circulation of air to aid in cooling. Others suggested increasing the size (mass) of the voltage regulator heat sink to cool down the 5 volt regulator.

There is nothing wrong with any of the above ideas, however, instead of cooling the regulator and allowing the heat to escape from the computer case, why not remove the source of the heat in the first place! All it takes is removal of the 7805 voltage regulator IC and in its place use an external power supply for your computer and ram pack.

Radio Shack is currently selling a switching power supply capable of supplying +5 VDC at 1.1 amps, +12 VDC at 400 ma and -5 VDC at 200 ma. The T/S computer section and 16K ram pack require +5 VDC and the 16K ram pack additionally requires +9 VDC to +12 VDC for the ram pack 4116 ram chips. Within the 16K ram pack is a small switching supply which provides -5 VDC, also for the ram chips and if this supply gives out (as it does quite frequently), then the -5 Volt output from this external power supply can be used.

The Radio Shack Switching Power Supply, #277-106, sells for \$4.95 and requires an external transformer capable of providing 18 VAC at several amps. RS #273-1515 is the recommended transformer and costs \$6.99.


NOTE: Switching power supplies are the state-of-the-art for all modern computers and monitors. They are light weight and efficient. All components within the supply operate on the cool side and provide extremely reliable operation over long operating periods. The only objection to switching power supplies is that they emit a high frequency note as they oscillate. If the supply is cased, you will not hear it 'sing'.

For those of you that like to 'roll your own', I have provided a simple power supply circuit at the end of this article. I have used this circuit for my ZX 81 for well over two years and it never let me down. Several power supply circuits have appeared in previous issues of L.I.S.T. which can be adapted for your requirements.

The components stated in the parts list will provide you with more than adequate current output for the basic ZX 81 / TS 1000 with a 16K ram pack. You can, if you wish, use the 7805, 5 volt regulator when it is removed from your computer in place of the LM 323K regulator called out in the parts list. Bolt the regulator firmly to the metal case of the supply and use a heat dissipating compound between the regulator and the metal case.

If you decide to use an external power supply, unbolt the regulator mounting screw and carefully bend up the regulator leads. Desolder the regulator from the assembly and then clear each of the plated through vacated holes of solder. Prepare three eight inch lengths of #20 insulated wire by removing 1/4 inch of insulation from each wire end and tinning the bare wire ends. Insert the wires into the plated through holes on the computer board which the voltage regulator previously occupied and solder them in place. Rout the wires through the back end of the power supply jack (or remove the jack if you wish) and solder a male, multi pin connector to the bare ends of the three wires. A suitable connector set can be purchased at Radio Shack; male, 4 pin #274-224; female, 4 pin #274-234, at \$1.09 each. The female connector will be connected to the external power supply cable.

The 12 VDC lead is soldered to the inside plated through hole; the common (ground) lead is soldered to the center hole and the 5 VDC lead is soldered to the hole at the edge of the PC board. It would be a good idea if each wire was of a different color or you can place a piece of tape around each of the wires for voltage identification.



COMPONENT GENERATED HEAT

A second source of heat comes from the ULA, IC-1. The ULA from my ZX 81 operated very hot - it self-destructed and a replacement had to be obtained from Sinclair Research, Ltd.

I contacted AAVID Engineering, Inc; 30 Cook Court, Laconia, NH 03246 and requested a sample of their 40 pin IC clip on heat sink. Sorry, I don't have the part stock number. If you request a sample, please use business stationary for your request. You may also ask for the name of their nearest dealer selling the AAVID line of heat sinks in the event that AAVID will no longer provide a sample.

Calendar:


March 29 New York City Personal Computer Show and Sale - Apr 30th & 31st - Madison Square Garden (201) 297-2526

April 20, 21 - Trenton Computer Festival (10th Annual) - Trenton State College, Trenton, N.J. (609) 771-2487

List
Group

Installing the heat sink is a cinch. Carefully pry up the ULA a little at a time on both ends using a small screwdriver. Please use the usual CMOS IC handling precautions to prevent damage to the IC from static discharge. Slide the heat sink over and under the IC (the ULA sits between two sections of the heat sink) and then push down on the heat sink/IC assembly to insure that the IC is seated properly in its socket. Examine the area around the heat sink to insure that any bare resistor or capacitor leads are not in contact with it. If necessary the aluminum fins on the heat sink can be bent upwards to correct any problem associated with component shorting.

You will find that the ULA now operates very cool and will provide reliable service for the life of your computer.




POWER SUPPLY SCHEMATIC

LAS 1412 +12 Volt, 3 Amp TO 3 voltage regulator \$3.50
 LM 323K + 5 Volt, 3 Amp TO 3 voltage regulator \$3.50
 B.G. Micro, PO Box 280298, Dallas, TX 75228 214-271-5546
 12.6 VAC transformer at 3 amps #273-1511 \$5.99
 Bridge rectifier at 6 Amps #276-1180 \$2.19
 2200 Mf capacitor at 35 volts #272-1020 \$2.49
 1000 Mf capacitor at 35 volts #272-1019 \$1.59
 Your local Radio Shack
 A line cord, switch of your choice, a 3 amp fuse, a metal case to house the project can also be purchased at Radio Shack.

I realize that building or buying an external power supply can appear to be extravagant for a computer which may have cost as little as \$29.95. However, I am forever grateful to the ZX 80 and the ZX 81 for introducing me to the world of home computing, which has provided me with computing knowledge and the ability and confidence to use this knowledge in business. I could never have had such a computer education for so little cash outlay. The extra cost for a power supply should be considered as an investment towards your computing future.

.....Bob Gilder

SCHEMATIC DIAGRAM



- NOTES
- 1 ALL RESISTANCE VALUES ARE IN OHMS UNLESS OTHERWISE SPECIFIED
 - 2 ALL CAPACITANCE VALUES ARE IN P.F. UNLESS OTHERWISE SPECIFIED
 - 3 ALL RESISTORS ARE 1/8 WATT UNLESS OTHERWISE SPECIFIED
 - 4 VOLTAGE MEASURED FROM POINT INDICATED TO CHASSIS GROUND
 - 5 WITH VOLUME AT MIN AND NO SIGNAL
- IC1 JPC1350C
 IC2 LAS1412
 IC3 LM323K
 IC4 74C138P
 IC5 74C138P
 IC6 74C138P
 IC7 74C138P
 IC8 74C138P
 IC9 74C138P
 IC10 74C138P
 IC11 74C138P
 IC12 74C138P
 IC13 74C138P
 IC14 74C138P
 IC15 74C138P
 IC16 74C138P
 IC17 74C138P
 IC18 74C138P
 IC19 74C138P
 IC20 74C138P
 IC21 74C138P
 IC22 74C138P
 IC23 74C138P
 IC24 74C138P
 IC25 74C138P
 IC26 74C138P
 IC27 74C138P
 IC28 74C138P
 IC29 74C138P
 IC30 74C138P
 IC31 74C138P
 IC32 74C138P
 IC33 74C138P
 IC34 74C138P
 IC35 74C138P
 IC36 74C138P
 IC37 74C138P
 IC38 74C138P
 IC39 74C138P
 IC40 74C138P
 IC41 74C138P
 IC42 74C138P
 IC43 74C138P
 IC44 74C138P
 IC45 74C138P
 IC46 74C138P
 IC47 74C138P
 IC48 74C138P
 IC49 74C138P
 IC50 74C138P
 IC51 74C138P
 IC52 74C138P
 IC53 74C138P
 IC54 74C138P
 IC55 74C138P
 IC56 74C138P
 IC57 74C138P
 IC58 74C138P
 IC59 74C138P
 IC60 74C138P
 IC61 74C138P
 IC62 74C138P
 IC63 74C138P
 IC64 74C138P
 IC65 74C138P
 IC66 74C138P
 IC67 74C138P
 IC68 74C138P
 IC69 74C138P
 IC70 74C138P
 IC71 74C138P
 IC72 74C138P
 IC73 74C138P
 IC74 74C138P
 IC75 74C138P
 IC76 74C138P
 IC77 74C138P
 IC78 74C138P
 IC79 74C138P
 IC80 74C138P
 IC81 74C138P
 IC82 74C138P
 IC83 74C138P
 IC84 74C138P
 IC85 74C138P
 IC86 74C138P
 IC87 74C138P
 IC88 74C138P
 IC89 74C138P
 IC90 74C138P
 IC91 74C138P
 IC92 74C138P
 IC93 74C138P
 IC94 74C138P
 IC95 74C138P
 IC96 74C138P
 IC97 74C138P
 IC98 74C138P
 IC99 74C138P
 IC100 74C138P



TS 2020 Computer Program Recorder

〈書〉〈書〉〈書〉〈書〉〈書〉〈書〉〈書〉〈書〉〈書〉〈書〉〈書〉

From Bob Dyl (EMC)

```
10 FOR N = 1 TO 10
20 FORMAT "m"; i; "TEST"
30 NEXT N
40 CAT 1
```

Try this.... TS 2068

```

12 LET Q=160
13 LET W=30
10 LET C=PEEK 23606+256*PEEK 2
3607+256
15 FOR J=32 TO 58
20 FOR K=0 TO 7
25 LET B=PEEK (C+K+J*8)
35 FOR I=1 TO 8
40 LET X=INT (B/2): LET bit=B-
2*X: LET B=X
45 IF NOT bit THEN GOTO W-I*
2,0-K*3,1
50 NEXT I: NEXT K: REM PRINT
': NEXT P
54 LET Q=Q-20
55 IF Q<130 THEN LET W=W+16: L
ET Q=160
65 NEXT J: STOP

```

AND NOW IT'S TIME FOR THAT
KEYBOARD WIZARD
PROFESSOR A. 'RAY' DIMM

How can I tell how much memory I've used up? I got this program I've been working on my ZX81 and by the time I type it all in, my ZX81 starts acting a little senile.

I ran into something I thought was strange. Try this:

```
10 LET a$="sample string"
20 SAVE "sample" DATA a$:
RUN (then rewind the tape)
NEW
10 LOAD "" DATA a$:
20 PRINT a$
30 PRINT a$()
```

This does not work! For some reason, if you **SAVE** a string using the **DATA** token, the string is saved and then can be loaded back into a computer, but not in a form that is parseable. There is a simple patch that solves this problem by putting the string into a one dimensional array:

```
20 DIM t$(LEN a$)
30 FOR i=1 TO LEN a$
40 LET t$(i)=a$(i)
50 NEXT i
```

If you SAVE ts, when you LOAD it back in, it can be used as a normal string. Do not ask me why

JUST
FOR
Herbert.


Switchboard

[illegible]

```
OK AL, just write this down
(I know you have a lousy memory)
PRINT PEEK 16396+255*PEEK16397-
16509
```

This will tell you the number of bytes you've used for the program, system variables, and display.
If you have a 2068, just use the FREE key.

CATS



T/S 2068 Keyboard Scanning

Most programs require user interaction through the keyboard, and use the INPUT or INKEY\$ functions to do this job. This article will discuss some alternative ways to input through the keyboard.

Method #1: Hardware generated interrupts are used in the 2068 to update the TV frames counter and to scan the keyboard for pressed keys. If a pressed key is found, the character code associated with it is determined and stored in system variable LAST-K. If you POKE a zero in 23560, and then immediately PEEK the same location, the PEEK will return the code for a key pressed between the POKE and PEEK, provided that a scan has occurred in this time interval. To insure a scan, place a USR 737 after the POKE. This method is roughly like an INKEY\$ function which returns a code rather than a string variable.

Method #2: If you are willing to use a small amount of machine code, you can directly call the ROM routine which examines the keyboard. This is K-Scan, located at 688d. (In the Spectrum, this same routine is at 028E (hex)). To use K-Scan, you need to know the position code system used in the T/S, and you need to be able to get at the D and E registers, which is where the position codes are located when a return is made from K-Scan to the calling routine. If no key is pressed, D and E hold 255; one key results in 255 in D and the position code in E; two keys results in position codes in both D and E. The position code is a value from 0 to 39, calculated as follows: (47-row#)-(8*column#). Here, a "row" means 5 keys in a half-row, such as A S D F G. Rows are numbered 1 to 8, starting with the lower left row and going up and then down. A "column" consists of 8 keys, such as column 2: Z S W 2 9 O L Break/Space. There are 5 columns, numbered 1 thru 5, starting with the outer keys. (Note that there are two redundant keys which are ignored; these are the space-bar and the right side cap shift; these are keys added by Timex which perform no new function but make the keyboard a bit more like a typewriter). Unlike method #1 or INKEY\$, method #2 allows you to handle two keys pressed at the same time.

Method #3: This method uses the IN function. For example, the BASIC statement LET A = IN 65278 will scan the 1st row (bottom left, 5 keys) and assign to A a value of 31 if no keys are pressed. (Note: Some published programs using IN are for the Spectrum version 2, whose base value is 255, not 31.) If the keys are pressed the value returned is the base value (31) minus the column value of any key pressed. Column values are 1, 2, 4, 8, and 16 for columns 1, 2, 3, 4, and 5 respectively. The number following IN must meet certain criteria. When expressed as a two byte binary number, the least significant ("low") byte must be the port number of the keyboard (i.e. 254 decimal). The most significant ("high") byte must have a "0" in the bit position corresponding to the row to be scanned. In the above example, 65278 in binary has as its high byte 11111110; since the zero is in the 1st bit position, the 1st row will be active when this statement is executed. Rather than get involved in decimal-binary conversions, you can also use a statement like: LET A = IN (256*BIN 11111110 + 254) to do the same thing. Note too, that you can put a zero in any position, or in any number of positions, in the binary number and simultaneously scan any combination of rows with a single statement. (But, if you scan two rows at once, you cannot tell which row of the two a pressed key is in.) The BASIC equivalent of K-SCAN can be produced, of course, using eight IN statements. But unlike K-SCAN, you can detect the pressing of more than two keys.

Mike Manis

PROGRAMMER'S CORNER

Here is something I picked up from Chuck Dawson in the Ft. Worth User's Group Newsletter. Did you know that you have access from the keyboard to all of the PRINT options, besides INVERSE? They are accessed from the extended mode, which is reached by pushing the CAPS SHIFT and SYMBOL SHIFT at the same time. They are:

```
EXTENDED MODE
0-7 PAPER color
8 BRIGHT off
9 BRIGHT on
SHIFT 0-7 INK color
8 FLASH off
9 FLASH on
```

You ask, "But Chris, how does this work?" Well, when you push these keys, the computer inserts what is known as control characters. Try this:

```
10 LET A$=" I Love My Wife"
20 LET A$(1)=CHR$ 18
30 LET A$(2)="1"
60 PRINT AT 0,0,A$
RUN
```

If you look on page 240 of your user's guide, you will see that character 18 controls FLASH. The "1" character turns the flash on. Add this:

```
40 LET A$(19)=CHR$18
50 LET A$(10)="0"
RUN
```

Using the same CHR\$18 followed by a zero turns flash off. What if you use CHR\$18 without a 0 or 1 following it? That's right! You get an INVALID COLOR error. BRIGHT is CHR\$19 and INVERSE is CHR\$20, and they both work the same way as FLASH.

The INK control (CHR\$16) and PAPER control (CHR\$17) work in a similar way, but the number that follows is the color number and should be 0-7.

Can you figure out how to use any of the other control characters?

EXTRA RAM.....

If you plug in the 16K Ram pack and find that the CLS function works more slowly and animation programs become unacceptable, try this it might help.

To have the maximum amount of RAM available while also having a fast CLS, adjust RAMTOP before typing or loading programs.

```
POKE 16388,254
POKE 16389,76
NEW
```

incis

PROGRAMS

Banta Software has provided an interesting program to us.

ON/OFF status of TS2040 printer

"As must be obvious, the KMark statement is a short machine code routine which must be the first line of the program. The other lines can be anywhere in the program and could be modified to give other messages. In the 1000/1500 version the inverse character in line 1 is "S". Also the less than/greater than in the 2068 version and the less than/equal in the 1000/1500 version are each single key-stroke entries.

2068 Version

```
1 REM FLASH CLS G THEN LN
9996 LET PRT=USR (5*PEEK 23635+2
56*PEEK 23636)
9997 IF PRT 16383 THEN PRINT "PR
INTER OFF"
9998 IF PRT -16383 THEN PRINT "P
RINTER ON"
9999 STOP
```

1000/1500 Version

```
1 REM = CLS ?SCS STAN
2 POKE 16516,71
9996 LET PRT=USR 16514
9997 IF PRT-16383 THEN PRINT "PR
INTER OFF"
9998 IF PRT -16383 THEN PRINT "
PRINTER ON"
9999 STOP
```

CCATS v AB/10/20

SPECIAL DISCOUNT COUPON

This coupon is worth \$3.00 off the regular retail price of Spectrum ROM's from LIST Associates.

Through a special purchase arrangement and the use of surface mail, we can offer this special discount through April 1985. For LIST members, that's \$15.00 for the ROM. For non-members \$16.95. (P&P included)

'SPECTRUM SOFTWARE'

SPECIAL OFFER TO LIST MEMBERS*

List Associates will obtain any spectrum software* for \$5.00 over the published regular retail price, in pounds sterling, at a 1 to 1 exchange rate.

E.g. :

Program	R.R.P.	Your Cost
Jet Set Willy	£ 5.95	\$ 10.95
The Hobbit	£ 14.95	\$ 19.95
Knights Lore	£ 9.95	\$ 14.95
Tasword	£ 13.90	\$ 18.90

* Up to £25 - non-members add \$2.00/order + includes delivery

Send Check or M.O. to:

LIST
Box 438
Centerport, N.Y. 11721-438

Special Group Discount

Computer Shopper has a \$5 for 6 issues special offer for User Group members. If you'd like a special subscription form, contact Paul D. at the next meeting. Shopper has Mark Fendrick TS survival column, a number of 1st classifieds and other ads, and its advertisements usually provide a good source of pricing comparisons for most hardware (e.g., disk

Don't
Hambest
Here are you
Snack wins

Donny
MAILED
PAGE

membership starts
ends 2/85
welcome aboard
Hope you can contribute

Paul D.

April
1985

TO:
Don Kimber
 3310 Clover Drive SW
 Cedar Rapids, Iowa
 52404



LIST
 P.O. BOX 438
 CENTERPORT, N.Y. 11721-0438

LIST
 P.O. BOX 438
 CENTERPORT, N.Y. 11721-0438

TO:

LISTING